

Segment wise Product Profile

Petrol Engines

Motor Cycle / Scooter

- 1. INDOCHEM eNDURA 2T API TC / JASO FC
- 2. INDOCHEM eNDURA 4T API SJ / MA2 20W40
- 3. INDOCHEM eNDURA 4T Advance API SL / MA2 20W40
- 4. INDOCHEM eNDURA 4T Advance API SL / MA2 20W50
- INDOCHEM eNDURA 4T Premium API SL / MA2 10W30
- 6. INDOCHEM eNDURA 4T GEN NXT API SM / SN / MA2 15W30
- 7. INDOCHEM eNDURA 4T High end API SL / MA2 &MA 15W50
- 8. INDOCHEM eNDURA SCOOTEC API SL / MB 10W30

Passenger Cars / SUVs

- 1. INDOCHEM eUROtech API SL / CF 10W30 / 10W40 / 20W50
- 2. INDOCHEM eUROtech Super SM API SM / CF 5W30 / 10W30 / 10W40

CNG Engines

Auto Rickshaw / Car

- 1. INDOCHEM OLIVE Green API CF/ SF 20W50
- 2. INDOCHEM OLIVE Green API CF4 15W40 / 20W50

Diesel Engines

Auto Rickshaw (4 Stroke)

- 1. INDOCHEM dYELL API CF4 15W40 / 20W40
- Passenger Cars / SUVs
- 1. INDOCHEM dYEZL API CF4 15W40
- INDOCHEM dYEZL API CH4 / CI4 10W30 / 10W40 /15W40
- **Heavy Duty Diesel** Commercial Vehicles
- 1. INDOCHEM dYEZL MULTIGRADE API CF/CD/SF 20W40 / 15W40
- INDOCHEM dYEZL TURBO CHARGE API CF4 Plus 20W40 / 15W40
- 3. INDOCHEM dYEZL ADVANCE HDDEO API CH4 / CI4 / SL 15W40
- 4. INDOCHEM dYEZL PREMIUM E7 GEN NXT API CI4 Plus 10W40 / 15W40

(Modern Generation Diesel High Performance HDDEO Vehicles)

Gear Oils

Automotive Gear & Transmission Oils

- 1. INDOCHEM GEAR PRIME EP GL4 SAE 90 / 140
- INDOCHEM GEAR PREMIUM XP GL5 SAE 80W90 / 85W140
- 3. INDOCHEM TEE QEE "Dex 1 & 1B"
 4. INDOCHEM TEE QEE "Dex IID"

Automotive Specialities

Coolants

- INDOCHEM Koolant RTU (-17 deg. C) ASTM D15 standards in
 - British Standard 6580
- INDOCHEM Koolant RTU (-40 deg. C) ASTM D15 standards in British Standard 6580
- Brake fluids
- 1. INDOCHEM Brake FLUID DOT 3
- 2. INDOCHEM Brake FLUID DOT 4

Greases (Automotive)

- UNIVERSAL MP 30000 GREASE
- 2. LITHIUM GREASE AP 3
- 3. **LITHIUM** COMPLEX GREASE
- 4. INDOCHEM POWER GEL GREASE
- 5. INDOCHEM CHASSIS GREASE
- 6. INDOCHEM AP-LL40000 GREASE
- 7. INDOCHEM WHEEL BEARING GREASE
- 8. INDOCHEM EP 2 GREASE
- 9. INDOCHEM POWER GEL ADVANCE (Semi Synthetic)

Agriculture & Off Highway Equipment

Farm Tractors

- 1. INDOCHEM uTTO Junior (Tractor Engine Oil) API CD / CF SAE 40
- 2. INDOCHEM uTTO Junior Plus (Tractor Engine Oil) API CF4 20W40 / 15W40
- 3. INDOCHEM TRACTOR SAMRAT uTTO Premium
- 4. INDOCHEM STOU GEN NXT (All in One)

Pump sets, Threshers, Sugarcane Harvesters, Crushers 1. INDOCHEM Pump Set Oil API CD SAE 40, 20W40

Off Highway Equipment/ DG sets

(Constructuion Equipment)

Engine Oil

1. INDOCHEM OFF Highway 'CD' Multi Equipment

API CD / CF SAE 20W40 / 15W40

2. INDOCHEM OFF Highway 'SHPD' Multi Equipment

MB228.3, ACEA E3-96 20W40 / 15W40

(SHPD Super High Performance Diesel Engine oil)



	PRODUCTS	VISCOSITY GRADE	SPECIFICA- TIONS	DESCRIPTION & APPLICATION
PETROL ENGINE MOTORCYCLE AND SCOOTER DILS	eNDURA 2T	Synthetic Based Low smoke	JASO FC API TC	It is a new generation semi-synthetic, low smoke, environmentally friendly 2 stroke engine oil. Formulated with super refined mineral base oil & a special synthetic component, using a well-balanced low ash additives. A specially selected diluent is added to ensure instantaneous self-mixing of oil with fuel.
				Application Use in all types of 2 or 3 wheeler vehicles and outboard boats fitted with 2 stroke petrol engines / CNG gas. For gear box application of 2 wheelers, use MULTIGRADE 20W-40 type of oil.
				Benefits - Extremely low visible exhaust smoke levels - Reduced spark plug fouling/ Excellent lubrication under/ longer engine life
	eNDURA 4T Protects Engine life	20W40	JASO T903; API SJ / JASO MA 2	Formulated using high quality Base stocks with high shear viscosity index VI Improvers. Chemistry used capable to take care of Engine, Gear Box, clutch. Application
			Exceeds SL/CF	Recommended for use in all types 4 stroke motorcycles, scooters and Auto rickshaws including new generation bikes Benefits - Power output - Engine cleanliness - Protects Engine life - Ideal level of fuel efficiency
				- Capable of Meeting recommended drain period
	eNDURA 4T Advance Protects Engine life	20W40	JASO T903; API SL / CF JASO MA 2	Formulated using high quality Base stocks with high shear viscosity index VI Improvers. High end performance Chemistry used capable to take care of Engine, Gear Box, clutch. Recommended for use in all types 4 stroke motorcycles, scooters and Auto rickshaws including new generation bikes
			Specification for Valve Train Wear (VTW)	Benefits - Superior Power output - Smooth Clutch performance - Engine cleanliness & Protects engine life - Fuel efficiency - Moderates Engine Noise - Capable of Meeting recommended drain period
	eNDURA 4T Advance Suitable for use in all seasons	20W50	JASO T903; API SL / CF JASO MA 2 Meet Specification	Oil designed using High end performance Chemistry to encounter high temperature operating conditions. Special frictional properties for smoother wet clutch operation. Excellent oxidation, wear protection for extended oil & engine life. Excellent sludge & varnish control to Minimize engine deposits.
			for Valve Train Wear (VTW)	Application Suitable for All models of four stroke Engine Motorcycles, Scooters and Suitable for use in Auto rickshaws operating on dual fuels i.e. Petrol and CNG/LPG

PRODUCTS	VISCOSITY GRADE	SPECIFICA- TIONS	DESCRIPTION & APPLICATION
			Benefits - Superior power output / Smooth clutch performance - Engine cleanliness/ Protects engine life - Ideal level of fuel efficiency - Better lubrication & Moderates Engine Noise - Excellent oxidation stability reduces oil consumption & increased oil life - Excellent wear protection to Engine parts & Gears, leading to Reduced maintenance & operating costs
eNDURA 4T Premium Quick Start More Power	10W30	JASO T903; API SL /CF JASO MA 2 Meet Specification for Valve Train Wear (VTW)	Specially designed for high temperature operating conditions with special frictional properties for smooth operation of wet clutches. Provides excellent oxidation and wear protection for extended oil & engine life. These oils minimize engine deposits due to excellent sludge and varnish control. These Oils are suitable for use in all seasons. - Designed for Latest Generation Motorcycles - Also can be used for earlier models of Motorcycles,
eNDURA 4T Gen NXT Total Endurance	15W30	JASO T903 API SM/SN/ JASO MA2 Meet Specification for Valve Train Wear (VTW)	Designed to deliver total Endurance - Excellent shield & performance for new Generation Bikes for higher capacity engines, capable to deliver high power, smooth Clutch performance & torque. This oil is formulated using Unique Additive Engineering with Thermally stable Base oils & High shear stable VI for performance reliability under demanding conditions. Application - Latest generation Motorcycles (recommended for 125CC and above Bikes) - Passionate Bikers who need Maximum Riding Comfort & Long engine Life Benefits - Quick start and excellent acceleration - Better power to wheels - Smooth clutch /Gear performance - Potential to reduce fuel consumption due to oil viscomatrix - Keeps engine components clean - Reduced maintenance & operating costs - Capable to Control Noise, Vibrations at High speed - Optimum Fuel Economy

PRODUCTS	VISCOSITY GRADE	SPECIFICA- TIONS	DESCRIPTION & APPLICATION
eNDURA 4T High End	15W50	API SL, JASO MA2	eNDURA 4T High End 15W-50 is a premium quality sem synthetic engine oil for lubrication of four stroke engines high powered motorcycles. These motorcycles run hotter due to extreme on-road and off-road performances which accelerates engine wear and deteriorate engine oil life due to formation of rapid oxidation & sludge.
			Application Recommended for use in all high power 4-stroke motorcycles
			Benefits Very good PICK UP & high POWER: Ensures smooth clutch performance, high power output and faster pickup in both regular and extreme conditions
			ENGINE PROTECTION : Premium additive technology protects the engine during start up and at higher running temperature, therby increasing engine life.
			SLUDGE CONTROL: Superior oxidation control reduces sludge formation in engine oil
eNDURA Scootec	10W30	JASO T903 API SL/	Semi-synthetic technology for Gearless Scooters Formulated using Scooter Boosters with a Different Base of
		JASO MB	combination to provide semi synthetic properties
Total Endurance			The oil helps: Maintain friction requirements, protecting the engine parts, Ideal level fuel consumption, gives the feel of a new Scooter
Don't Use Motorcycle oil as it is Gearless			The oil is capable to bear the severe stress and hard operating conditions in the dense traffic of Urban cities/Metros.
			Application eNDURA Scootec is Suitable for all models of 4-stroke gearless scooters
eUROtech	20W50 10W30 10W40	APISL/ CF	Petrol engine oil formulated using superior quality high viscosity index base oils and select additives to fight operating conditions & temperatures.
	100040		Application Recommended for all Petrol cars, especially older petrol cars
			Benefits - Superior engine cleanliness owing to detergent and
			dispersant additive chemistry - Shields engine components against rust and corrosion
			Compatible with catalytic converters Increased viscosity & volatility control help lower oil consumption
eUROtech Super SM	5W-30 10W30 10W40	SAPI SM / CF	Supreme quality petrol engine oil for use in modern petrol cars to meet stringent lubrication requirements of Hi-tech engines. It is formulated using the state-of-the-art additive technology with high viscosity index base oils.
			Application Recommended for ultra-modern petrol cars that are powered by engines with advanced technolog

PRODUCTS	VISCOSITY	SPECIFICA-	DESCRIPTION 9. AD	DUCATION
	GRADE	TIONS	DESCRIPTION & APPLICATION	
eUROtech			Benefits	
Super SM			 Protection of engine components corrosion 	against wear, rust and
			 Excellent thermo-oxidative stabili thickening of oil 	ty leading to Less
			 Ensure smooth operation of engi conditions 	ne in all climatic
			- Compatible with catalytic convert	er
INDOCHEM OLIVE Green	20W50	API CF/ SF	Superior quality Gas engine oil, de operating on Compressed Natural C	
			Application Recommended for use in Buses, Ta: (4 stroke)	xis, Cars, Auto rickshaws
			Performance Benefits - Suitable for use in all seasons - Helps in reducing oil consumption - Extends oil life due to excellent ox resistance - Optimized ash content prolongs the plugs - Keeps piston/engine clean, ensuring operation - Compatible with catalytic exhaust vehicle	idation & nitration ne life of valves & spark ng smooth engine
INDOCHEM OLIVE Green	15W40 20W50	API CF4	Superior quality Gas engine oil, dev operating on Compressed Natural G Fuel.	
			Application Recommended for use in Buses, Tax (4 stroke)	xis, Cars, Auto rickshaws
			Performance Benefits - Suitable for use in all seasons - Helps in reducing oil consumption - Extends oil life due to excellent ox resistance - Optimized ash content prolongs the plugs - Keeps piston/engine clean, ensuring operation - Compatible with catalytic exhaust vehicle	idation & nitration ne life of valves & spark ng smooth engine
<i>INDOCHEM</i> dYEZL	15W40 20W40	API CF4	A premium Diesel Engine oil for lubrication of 4 stroke Auto Rickshaws running on Diesel. Formulated using severely hydro-processed base oils and appropriate additive	
Auto Rikshaw			chemistry.	Performance Level
			Performance Benefits	- API CF4 - SAE 15W40
			 Keep engine components clean Provide excellent protection from deposits Enhanced oxidation stability ensur 	wear, corrosion and
			thickening and extends engine & o	il life



	PRODUCTS	VISCOSITY GRADE	SPECIFICA- TIONS	DESCRIPTION & APPLICATION
← PASSENGER CARS / SUVs	INDOCHEM dYEZL SUVs	15W40	API CF4	A Premium quality semi-synth diesel engine oil designed for Diesel Passenger cars, Multi Utility Vehicles (MUVs) and Sports Utility Vehicles (SUVs). Application Recommended for use in latest Diesel Passenger cars, Multi Utility vehicles (MUVs) and Sports Utility Vehicles (SUVs) Performance Benefits - Excellent cranking & pick-up - Improved driving experience - Superior Engine cleanliness - A good balance Engine oil in terms of fuel economy & durability - Longer oil & engine life ensuring reduced maintenance
	INDOCHEM dYEZL SUVs	10W30 10W40 15W40	API CH4 / CI4	Premium quality semi-synthetic exclusive diesel engine oil designed for Diesel Passenger cars, Multi Utility Vehicles Application Recommended for use in latest Diesel Passenger cars, Sports Utility Vehicles (SUVs), Multi Utility vehicles (MUVs) Performance Benefits - Excellent engine cleanliness - Superb pick-up, better driving experience - Capable of providing better fuel economy & durability - Superior oxidation stability provides longer engine & oil with reduced maintenance
HEAVY DO IT DIESEL ENGINE OILS - COMMERCIAL VEHICLES	INDOCHEM dYEZL MULTIGRADE	15W40 20W40	API CF/ CD/ SF IS 13656:2002 Type EDL2 & EPL2	This is superior quality multigrade oil blended with high SSI Viscosity Index and contains well balanced group of additives, to provide high detergency, dispersancy and antioxidation properties. Application Use in Multi-utility vehicles fitted with high speed naturally aspirated or Turbo charged diesel engines including Heavy Duty Commercial Vehicles, Light Commercial Vehicles. Vehicles operating at low speed and high torque conditions that are prevalent in prolonged city stop & go driving conditions and also in hilly regions. Oil has Petrol credentials can be used in old model Petrol cars Performance Benefits - Good resistance against wear in engine parts in all operating conditions - Excellent thermal and oxidation stability - Takes care of engine components against rust and corrosion - Ensures smooth operations of engine in all climatic conditions

PRODUCTS	VISCOSITY GRADE	SPECIFICA- TIONS	DESCRIPTION & APPLICATION
dYEZL TURBO	15W40 20W40	API CF4 Plus/SG MB 228.1 Volvo VDS ACEA A2B2 IS 13656:2002 Type EDL5/ EPL2 MIL-L-2104E	Diesel Engine Oil formulated with superior quality base oils, high shear stable VI Improver, High performance detergent-dispersant chemistry. Helps keeping the engine clean, preventing premature oil thickening. Suitable for use in all seasons with Features such as Long drain & Prolonged engine life. It is specially recommended for use in vehicles meeting EURO I & II norms. Application Recommended for heavy & light commercial vehicles, Passenger cars, Tractors, multi utility vehicles & jeeps, earthmoving machinery & Construction equipment. Benefits - Excellent lubrication - Good TBN retention leading to excellent protection against corrosive wear - Keeps engine clean - Reduced oil consumption
dYEZL ADVANCE HDDEO Long drain Oil Right FIT in all seasons	15W40	API CH4/ CI-4, API SL, ACEA E7, MB228.3, 229.1, VOLVO-VDS3, CUMMINS 20077 Meets EURO II & III Emissions norms	Top of the Diesel engine oils, fortified with Superior dispersant/ detergent additive technology with high shear stable viscosity improvers. The oil is capable to care Heavily loaded engine parts from rust/ oxidation/ corrosion/ Piston cleanliness. Application New generation Diesel Engines of Heavy Commercial Multi Utility as well as Small Cars e.g. Trucks, buses, SUVs, Diesel passenger cars, Volvo vehicles, Volvo earthmoving machinery, DG sets This oil can also be used for vehicles requiring API CH4, CG-4 or CF-4 oils. Benefits - Improved wear protection to valve train & critical components leading to Sustain engine durability/ increased engine life/Reduced maintenance cost - Excellent Power & soot handling where EGR is used and are meant for use where diesel fuels ranging in sulfur content up to 0.5% weight Excellent soot handling capability & control over oil thickening ensures Lower pressure drop across filters and smooth engine operation throughout the service life
dYEZL Premium E7 GEN NXT CI4 Plus A balance Chemistry for Bharat III Engines	10W40 15W40	ACEA E7: API CI-4 PLUS JASO DHD-1: CAT ECF-2 CUMMINS CES 20076/78 DDC Power guard 93K214 Volvo VDS 3	Designed using unique Dispersants detergents (UDD technology) to provide Advanced lubricant performance in modern, low emission diesel engines, including those with EGR, operating under a wide variety of service conditions. A Balanced formulation to maximize the engine durability/long life and extended oil drain. Application - It is a truly versatile product which can be used in Bharat stage III trucks (e.g. Tata Cummins Engine), buses and off road vehicles It is a mixed fleet diesel engine oil especially designed to provide excellent protection to fleet of vehicles from a variety of manufacturers.